

Exceptions to the Quality Assurance Agreement / Look Back requirements

Following exception is applicable for all Norwegian centers:

In the Octapharma Look Back Procedure it is currently stated under

1.3 Additional Information:

Look Back / Post Donation Notifications are NOT required for Octapharma:

reactive anti HBc test results (if HBsAg test <u>and HBV NAT</u> are negative)

In Norwegian:

1.3 Tilleggsinformasjon:

Look Back eller Post Donation meldinger skal ikke sendes til Octapharma ved:
- reaktiv anti HBc test resultat (hvis HbsAg test og HBV NAT er negative)

As HBV NAT is performed at Octapharma laboratory, information about HBV NAT negative test result is not available at the time of a reactive anti HBc test result.

Therefore the requirement will be changed to:

Look Back / Post Donation Notifications are NOT required for Octapharma:

reactive anti HBc test results (<u>if HBsAg test is negative</u>)

In Norwegian:

Look back eller Post donation meldinger skal ikke sendes til Octapharma ved:

- reaktiv anti HBc test resultat (hvis HBsAg test er negative)

In case HBV NAT is reactive, a Look Back will be initiated routinely.

This exception is becoming effective by January 1st, 2019.

For OCTAPHARMA AG:

Michael Szkutta

Head of Corporate QP

28. M. WIF

Signature